

Product data sheet

Power connectors




Product description	M23 square female panel mount connector, Contacts: 19, unshielded, solder, IP67, front fastened
Area	M23 series 623
Part no.	99 4634 00 19


Illustration



Scale drawing



Contact arrangement (Plug-in side)



Technical data

General features

Part no.	99 4634 00 19
Connector design	square female panel mount connector
Version	female straight
Connector locking system	screw
Termination	solder
Degree of protection	IP67
Arrangement of contacts	clockwise
Cross-sectional area	16x1.00 / 3x1.50 mm ² / 16x AWG 18 / 3x AWG 16
Temperature range from/to	-25 °C / 125 °C
Mechanical operation	> 50 Mating cycles
Weight (g)	29.78
Customs tariff number	85369010

Electrical parameters

Rated voltage	48 V
Rated impulse voltage	1500 V
Rated current (40 °C)	16 x 8 A / 3 x 10 A
Insulation resistance	≥ 10 ¹⁰ Ω
Pollution degree	3
Overvoltage category	II
Insulating material group	III
EMC compliance	unshielded

Product data sheet

Power connectors



Product description	M23 square female panel mount connector, Contacts: 19, unshielded, solder, IP67, front fastened
Area	M23 series 623
Part no.	99 4634 00 19

Material

Housing material	Zinc die-cast nickel-plated
Contact body material	PBT/PA66
Contact material	CuSn (bronze)
Contact plating	Au (gold)
REACH SVHC	CAS 7439-92-1 (Lead)
SCIP number	666ccd16-2930-40da-a6b9-e351e107d237

Classifications

eCl@ss 11.1	27-44-01-02
ETIM 7.0	EC002635

Product description	M23 square female panel mount connector, Contacts: 19, unshielded, solder, IP67, front fastened
Area	M23 series 623
Part no.	99 4634 00 19

Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP 67 and IP 68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.